



ADAGIO

TECHNICAL CHARACTERISTICS

- Ceramic twin handle 1/2" frame opening 90°
- Thermostatic cartridge with Hot Block anti-burn system and Termostop temperature blocking system (to 38°C).
- Flow rate at 3 bars: Washbasin, bidet and sink (from 9 to 12 l/min.); Shower (from 12 to 16 l/min.); and Bath (≥20 l/min.)
- Acoustic level at 3 bars: < 20 dB.
- Chrome-plated brass: 15 microns thick of nickel, 0.3 microns of chrome.
- Working pressure between 1-5 bars, recommended: 3 bars. It resists static pressures ≤10 bars and water hammers of 25 bars.
- Recommended temperature for the hot water: 55°C. Maximum working temperature: 65°C. Maximum: 1h at 90°C.
- Resistant to thermal and anti-Legionella chemical shocks.
- Cooltouch, a system that keeps the faucet warm to the touch to avoid burns.

CARACTERÍSTICAS TÉCNICAS

- Montura bimando cerámica de 1/2" de apertura 90°
- Cartucho termostático con Sistema Hot Block de seguridad antiquemaduras y Sistema Termostop de bloqueo de la temperatura a 38°.
- Caudal a 3 bar: Lavabo, Bidet y Fregadero (de 9 a 12 l/min). Ducha (de 12 a 16 l/min). Baño (≥20 l/min)
- Nivel acústico a 3 bar < 20 dB.
- Cromado latón: 15 micras de espesor de níquel, 0,3 micras de cromo.
- Presión de uso entre 1-5 bar, recomendada 3 bar. Resiste presiones estáticas ≤ 10 bar y golpes de ariete de 25 bar.
- Temperatura recomendada de agua caliente 55°C. Temperatura máxima de uso 65°C. Máximo 1h a 90°C.
- Resistente al choque térmico y químico anti-legionela
- Cooltouch, sistema que permite mantener la grifería templada al tacto para evitar quemaduras.



Cromo
Chrome

Negro mate
Black matte

Oro cepillado
Brushed gold



 **DISPONIBLE EN MAYO**
AVAILABLE TO MAY

**910101**

91A306076

910101NM


91A306109

910101OC

91A306126

Bimando de lavabo con caño 170 mm, giratorio

Two handle washbasin mixer with swivel spout 170 mm



Montura: 1701C1/2 + 1702C1/2

Head: 1701C1/2 + 1702C1/2

**910102**

91A306078

910102NM


91A306110

910102OC

91A306127

Bimando de lavabo con caño giratorio altura 190 mm

Two handle washbasin mixer I size with swivel spout 190 mm



Montura: 1701C1/2 + 1702C1/2

Head: 1701C1/2 + 1702C1/2

**911001**

91A306094

911001NM


91A306111

911001OC

91A306128

Bimando de lavabo con caño giratorio altura 190 mm

Two handle washbasin mixer I size with swivel spout 190 mm



Montura: 1701C1/2 + 1702C1/2

Head: 1701C1/2 + 1702C1/2



Recomendado:
Recommended:

**1219L**

197106

1219LNM

99Z302477

1219LOC

99Z302478

Valvula metálica para desagüe

sistema CLICK CLACK-latón
Metal CLICK CLACK waste brass valve

**3790**

198960

3790NM



99Z302332


3790OC

99Z302333

Sifón.

Bottletrap






- 912001
91A306096
- 912001NM
91A306113
- 912001OC
91A306130

Bimando de lavabo empotrado mural

Concealed washbasin two handle mixer

Montura: 1701C1/2 + 1702C1/2
Head: 1701C1/2 + 1702C1/2




- 914201
91A306098
- 914201NM
91A306115
- 914201OC
91A306132

Bimando de lavabo para repisa.
Caño giratorio de 170 mm.

Washbasin 3 hole mixer spout 170 mm.

Montura: 1701C1/2 + 1702C1/2
Head: 1701C1/2 + 1702C1/2




- 914202
91A306099
- 914202NM
91A306116
- 914202OC
91A306133

Bimando de lavabo para repisa.
Caño giratorio de 190 mm.

Washbasin 3 hole mixer spout 190 mm.

Montura: 1701C1/2 + 1702C1/2
Head: 1701C1/2 + 1702C1/2



DISPONIBLE EN MAYO
AVAILABLE TO MAY



ADAGIETTO



912001ML

91A306097

912001MLNM

91A306114

912001MLOC


91A306131

Bimando de lavabo empotrado
mural maneta adagietto

Concealed washbasin two adagietto
handle mixer

Montura: 1701C1/2 + 1702C1/2

Head: 1701C1/2 + 1702C1/2



914201ML

91A306100

914201MLNM

91A306117

914201MLOC


91A306134

Bimando de lavabo para repisa,
maneta adagietto. Caño giratorio
de 170 mm.

Washbasin 3 hole mixer adagietto
handle, spout 170 mm.

Montura: 1701C1/2 + 1702C1/2

Head: 1701C1/2 + 1702C1/2



914202ML

91A306101

914202MLNM

91A306118

914202MLOC


91A306135

Bimando de lavabo para repisa,
maneta adagietto. Caño giratorio
de 190 mm.

Washbasin 3 hole mixer adagietto
handle, spout 190 mm.

Montura: 1701C1/2 + 1702C1/2

Head: 1701C1/2 + 1702C1/2





 **DISPONIBLE EN MAYO**
AVAILABLE TO MAY

**917602**

91A306102

917602NM


91A306119

917602OC

91A306136

Monomando lavabo de columna

Free standing washbasin column

**Cartucho: 35100-2**

Cartridge: 35100-2

**918502S**

91C306103

918502SNM

91C306120

918502SOC

91C306137

**Columna monomando para
bañera**

Free standing bath shower column

918502Q3

91C306258

918503S+3713M+2471C

918502Q3NM


91C306260

918503SNM+3714NM+2475CNM

918502Q3OC

91C306261

918503SOC+3714OC+2475COC

**Columna monomando para
bañera con equipo de ducha**Urbanc Chic, free standing bath
shower column with shower set**Cartucho: 35100-2**

Cartridge: 35100-2



1 VIA/WAY

91D306106

XX1801+2100N-35+KU1

91D306123


XX1801NM+2100N-35NM+KU1NM

91D306140

XX18010C+2100N-350C+KU10C

Monomando de ducha empotrado metálico 1 vía con placa ultraslim.

Single lever concealed mixer 1 way
with ultraslim metal plate



Cartucho: 35100 (6689-2)

Cartridge: 35100 (6689-2)

XX1801	1bar	3bar	5 bar
A l/min	17	26	31

KIT DE AMPLIACIÓN - EXTENSION SET: KA1V



2 VIAS/WAY

91D306107

XX1502+2100N-35+215100+KU2

91D306124


XX1502NM+2100N-35NM+215100NM+KU2NM

91D306141

XX1502OC+2100N-35OC+215100OC+KU2OC

Monomando de ducha empotrado metálico 2 vías con placa ultraslim.

Single lever concealed mixer 2 ways with
ultraslim metal plate.



XX1502	1bar	3 bar	5 bar
A l/min	14	24	30
B l/min	13	22	29

KIT DE AMPLIACIÓN - EXTENSION SET: KA2V

 **DISPONIBLE EN MAYO**
AVAILABLE TO MAY





913901S
91C306104


913901SNM
91C306121

913901SOC
91C306138

**Termostático de baño-ducha con
inversor integrado.**

Thermostatic shower mixer.

Cartucho: 1703T+4000
Cartridge: 1703T+4000



Q3



913901Q3
91C306262

913901 S+3713M+3726M+2471C

913901Q3NM
91C306121

913901SNM+3714NM+372602MNM+2475CNM

913901Q3OC
91C306264

913901SOC+3714OC+372602MOC+2475COC

**Termostático de baño-ducha con equipo de
ducha, inversor integrado.**

Thermostatic shower mixer with shower set.



913401S
91D306105


913401SNM
91D306122

913401SOC
91D306139

**Termostático de ducha con
inversor integrado.**

Thermostatic shower mixer.

Cartucho: 1703T+1700C 1/2"
Cartridge: 1703T+1700C 1/2"



Q3



913401Q3
91D306265

913401 S+3713+3726M+2471C

913401Q3NM
91D306266

913401SNM+3714NM+372602MNM+2475CNM

913401Q3OC
91D306267

913401SOC+3714OC+372602MOC+2475COC

**Termostático de ducha con equipo de ducha,
inversor integrado.**

Thermostatic shower mixer with shower set.





 **DISPONIBLE EN MAYO**
AVAILABLE TO MAY






1 VIA/WAY

- XX2421+KTX1+915001+915101ML
- XX2421NM+KTX1NM+915001NM+915101MLNM
- XX2421OC+KTX1OC+915001OC+915101MLOC
- Termostático de ducha empotrado metálico
1 vía con placa ultraslim.

Thermostatic concealed mixer 1 way with
ultraslim metal plate.



Cartucho: 1703T + 1700C^{3/4}
Cartridge: 1703T + 1700C^{3/4}


XX2411S	1 bar	3 bar	5 bar
A l/min	17	26	31
KIT DE AMPLIACIÓN - EXTENSION SET: KAETIO4			



2 VIAS/WAY

- 918712S
91D306144
- XX8722+KTX2+915001+915101ML
- 918712SNM
91D306146
- XX8722NM+KTX2NM+915001NM+915101MLNM
- 918712SOC
91D306148
- XX8722OC+KTX2OC+915001OC+915101MLOC
- Termostático de ducha empotrado
metálico 2 vías con placa ultraslim.

Thermostatic concealed mixer 2 ways with
ultraslim metal plate.



XX8712S	1 bar	3 bar	5 bar
A l/min	17	26	31
B l/min	13	22	28
KIT DE AMPLIACIÓN - EXTENSION SET: KAETIO3			

Cartucho: 1703T + 4000
Cartridge: 1703T + 4000



 **DISPONIBLE EN MAYO**
AVAILABLE TO MAY





915401RPR255

91D306268
911202S+DN130D+RM250+3713M+2471C

915401RPR255DNM


91D306270
911202SNM+DN130DNM+RM250NM+3714NM+2475CNM

915401RPR255OC

91D306271
911202SOC+DN130DOC+RM250OC+3714OC+2475COC

Columna telescópica termostática con inversor integrado, rociador rectangular 255x190 mm.
Telescopic thermostatic shower column with headshower 255x190 mm.

Cartucho: 1703T + 4000
Cartridge: 1703T + 4000



911201S

91D306108


911201SNM

91D306125

911201SOC

91D306142

Grifo termostático.
Thermostatic mixer.



910601

91E306095


910601NM

91E306112

910601OC

91E306129

Bimando de cocina
Kitchen two handle mixer



Montura: 1701C1/2 + 1702C1/2
Head: 1701C1/2 + 1702C1/2





 **DISPONIBLE EN MAYO**
AVAILABLE TO MAY

