

CR



Características Técnicas

- Cartuchos monomando cerámicos Ø35 mm y Ø40 mm.
- Cartuchos monomando con Sistema Termostop Block de limitación de la temperatura máxima del agua caliente, Sistema de ahorro de agua S2 mediante la apertura de la manecilla en dos fases y sistema de ahorro de energía S3 mediante apertura central en frío.
- Distribuidor de 2 vías, sin regulación de caudal y sin cierre.
- Caudal a 3 bar: Lavabo, Bidé y Fregadero 12 l/min. Ducha 12 l/min). Baño 20 l/min. Nivel acústico a 3 bar: < 20 dB.
- Cromado latón: 15 micras de espesor de níquel, 0.3 micras de cromo.
- Prestaciones de confort a nivel de fidelidad, sensibilidad y constancia en la selección de la temperatura.
- Resiste presiones estáticas ≤ 10 bar y golpes de ariete de 25 bar.
- Temperatura recomendada de agua caliente 55°C. Temperatura máxima de uso 65°C. Máximo 1h a 90°C.
- Presión de uso entre 1-5 bar. Recomendada 3 bar.
- Resistente al choque térmico y químico anti legionela.
- Ánodo de sacrificio anticorrosión de zinc-magnesio.


Technical Characteristics

- Single-lever ceramic cartridges Ø35 mm and Ø40 mm.
- Single lever cartridges with Termostop Block System for limiting the maximum hot water temperature and S2 water Saving System by opening the handle in two phases and S3 energy saving system by central cold opening.
- 2-way diverter without flow regulation and without cut-off system.
- Flow rate at 3 bar: Washbasin, Bidet and Sink 12 l/min. Shower 12 l/min. Bath 20 l/min.
- Acoustic level at 3 bars: < 20 dB.
- Chrome-plated brass: 15 microns thick of nickel, 0.3 microns of chrome.
- Comfortable performance as regards reliability, sensitivity and steadiness in the temperature selection.
- It resists static pressures ≤ 10 bars and water hammers at 25 bars.
- Recommended temperature for the hot water: 55°C. Maximum working temperature: 65°C. Maximum: 1h at 90°C.
- Working pressure between 1-5 bars, recommended: 3 bars.
- Resistant to thermal shock and chemical anti legionella.
- Zinc-magnesium anti-corrosion sacrificial anode.





Montaje sin herramientas
Tool-free system

**Incluido · Including****Incluido · Including****Incluido · Including****510501S**

51C307369

Civic, monomando de baño-ducha.
Civic, bath-shower single-lever mixer.

**510501VP2**

51C307371

510501S+351502+3544+245002C

Civic, conjunto monomando baño-ducha con equipo de ducha.
Civic, bath-shower single-lever set with shower kit.

**510501VM2**

51C307370

510501S+351502+3544+1128C

Civic, conjunto monomando baño-ducha con equipo de ducha.
Civic, bath-shower single-lever set with shower kit.


510501D1

51C307368

510501S+3524D1+3544+1128C

Civic, conjunto monomando baño-ducha con equipo de ducha.
Civic, bath-shower single-lever set with shower kit.

Cartucho Cartridge: 35100

**Incluido · Including****Incluido · Including****Incluido · Including****510801S**

51D307378

Civic, monomando de ducha.
Civic, shower single-lever mixer.

**510801VP2**

51D307380

510801S+351502+3544+245002C

Civic, conjunto monomando ducha con equipo de ducha.
Civic, shower single-lever set with shower kit.

**510801VM2**

51D307379

510801S+351502+3544+1128C

Civic, conjunto monomando ducha con equipo de ducha.
Civic, shower single-lever set with shower kit.

**510801D1**


51D307372

510801S+3524D1+3544+1128C

Civic, conjunto monomando ducha con equipo de ducha.
Civic, shower single-lever set with shower kit.

Cartucho Cartridge: 35100-3

1 Vía/Way



511801S


51D307381

Civic, monomando de ducha empotrado metálico de 1 vía con placa ultraslim.

Civic, metal built-in shower mixer with 1-way function and ultraslim plate.



Cartucho Cartridge: 35100 (6689-2)



K5118013

51D310360


Civic, conjunto monomando empotrado metálico 1 vía con rociador redondo Ø300mm.

Civic, shower set single lever concealed mixer 1-way with ultraslim round showerhead ABS Ø300mm.



Cartucho Cartridge: 35100 (6689-2)+4004

2 Vías/Ways



511512S


51D307383

Civic, monomando de ducha empotrado metálico de 2 vías con placa ultraslim.

Civic, metal built-in shower mixer with 2-way function and ultraslim plate.



Cartucho Cartridge: 35100 (6689-2)



K5115122


51D310361

Civic, conjunto monomando empotrado metálico 2 vías con rociador redondo Ø300mm.

Civic, shower set single lever concealed mixer 2-way with ultraslim round showerhead ABS Ø300mm.



Cartucho Cartridge: 35100 (6689-2)+4004




510621
51E308950

Civic, monomando de cocina vertical cónico con caño giratorio de cisne.



Cartucho Cartridge: 35100-3




510901
51E307386

Civic, monomando de cocina con caño giratorio.
Civic, kitchen single-lever mixer with swivel spout.



Cartucho Cartridge: 40200-2




510701CC
51E307388

Civic, monomando de cocina a pared con caño bajo giratorio.
Civic, wall-mounted kitchen single-lever mixer with low swivel
spout.



Cartucho Cartridge: 35100-3




510701CCB14
51E307389

Civic, monomando de cocina a pared con caño bajo giratorio.
Civic, wall-mounted kitchen single-lever mixer with low swivel
spout.



Cartucho Cartridge: 35100-3



511701CC 51E307387

Civic, monomando de cocina a pared con caño alto giratorio.
Civic, wall-mounted kitchen single-lever mixer with high swivel spout.



Cartucho Cartridge: 35100 (6689-2)

Civic