



Características Técnicas

- Certificación AENOR.
- Cartuchos monomando cerámicos Ø35 mm y Ø40 mm.
- Cartuchos monomando con Sistema Termostop Block de limitación de la temperatura máxima del agua caliente, Sistema de ahorro de agua S2 mediante la apertura de la manecilla en dos fases y sistema de ahorro de energía S3 mediante apertura central en frío.
- Distribuidor de 2 vías, sin regulación de caudal y sin cierre.
- Caudal a 3 bar: Lavabo, Bidé y Fregadero 12 l/min. Ducha 12 l/min. Baño 20 l/min. Nivel acústico a 3 bar: < 20 dB.
- Cromado latón: 15 micras de espesor de níquel, 0.3 micras de cromo.
- Prestaciones de confort a nivel de fidelidad, sensibilidad y constancia en la selección de la temperatura.
- Resiste presiones estáticas ≤ 10 bar y golpes de ariete de 25 bar.
- Temperatura recomendada de agua caliente 55°C. Temperatura máxima de uso 65°C. Máximo 1h a 90°C.
- Presión de uso entre 1-5 bar. Recomendada 3 bar.
- Resistente al choque térmico y químico anti legionela.
- Ánodo de sacrificio anticorrosión de zinc-magnesio.

Technical Characteristics

- Certification AENOR.
- Single-lever ceramic cartridges Ø35 mm and Ø40 mm.
- Single lever cartridges with Termostop Block System for limiting the maximum hot water temperature and S2 water Saving System by opening the handle in two phases and S3 energy saving system by central cold opening.
- 2-way diverter without flow regulation and without cut-off system.
- Flow rate at 3 bar: Washbasin, Bidet and Sink 12 l/min. Shower 12 l/min. Bath 20 l/min.
- Acoustic level at 3 bars: < 20 dB.
- Chrome-plated brass: 15 microns thick of nickel, 0.3 microns of chrome.
- Comfortable performance as regards reliability, sensitivity and steadiness in the temperature selection.
- It resists static pressures ≤ 10 bars and water hammers at 25 bars.
- Recommended temperature for the hot water: 55°C. Maximum working temperature: 65°C. Maximum: 1h at 90°C.
- Working pressure between 1-5 bars, recommended: 3 bars.
- Resistant to thermal shock and chemical anti legionella.
- Zinc-magnesium anti-corrosion sacrificial anode.





Montaje sin herramientas



Cartucho Cartridge: 35100-3

570221

57A307809

New Fly, monomando de lavabo.
New Fly, washbasin single-lever mixer.

570221VA9065

57A307812

New Fly, monomando de lavabo, con
válvula automática de ABS 1/4".
New Fly, washbasin single-lever mixer
with 1/4" automatic ABS valve.

Ref. 906502

570221VA1169

57A307811

New Fly, monomando de lavabo, con
válvula automática de inox 1/4".
New Fly, washbasin single-lever mixer
with 1/4" automatic stainless steel
valve.

Ref. 116902



Ahorro de energía
Apertura en frío
Energy saving
Cold opening



Cartucho Cartridge: 35300-3

570223

57A307810

New Fly, monomando de lavabo con apertura en frío.
New Fly, washbasin mixer, cold opening.

570223VA9065

57A307814

New Fly, monomando de lavabo,
apertura en frío con válvula
automática 1/4".
New Fly, washbasin mixer cold
opening with stainless steel pop-up
waste 1/4".


Ref. 906502

570223VA1169

57A307813

New Fly, monomando de lavabo,
apertura en frío con válvula
automática 1/4".
New Fly, washbasin mixer cold
opening with stainless steel pop-up
waste 1/4".

Ref. 116902



Cartucho Cartridge: 35100-3

570121

57A308253

570121NM

57A308255

New Fly, monomando de lavabo inclinado.
New Fly, inclined washbasin mixer

570121VA9065

57A308276

New Fly, monomando de lavabo, con
válvula automática de ABS 1/4" y S3.
New Fly, single-lever basin mixer with 1/4"
ABS automatic waste and S3 system.

Ref. 906502

570121VA1169

57A308269

New Fly, monomando de lavabo, con válvula
automática de inox 1/4" y S3.
New Fly, single-lever basin mixer with 1/4"
stainless steel automatic waste and S3 system.

Ref. 116902



Ahorro de energía
Apertura en frío
Energy saving
Cold opening



Cartucho Cartridge: 35300-3

570123

57A308254

New Fly, monomando de lavabo inclinado, apertura en frío.
New Fly, inclined washbasin single-lever mixer, cold opening.

570123VA9065

57A308278

New Fly, monomando de lavabo
inclinado, con válvula automática de
ABS 1/4" y sistema S3 apertura en frío.
New Fly, inclined single-lever basin
mixer with 1/4" ABS automatic waste
and S3 cold-start system.

Ref. 906502


570123VA1169

57A308277

New Fly, monomando de lavabo
inclinado con válvula automática de
inox 1/4".
New Fly, inclined washbasin single-
lever mixer with 1/4" automatic
stainless steel valve.

Ref. 116902





571011
57A306082

571011NM
57A306083

New Fly, monomando de lavabo alto.
New Fly, tall washbasin single-lever mixer.



Cartucho Cartridge: 35100-3



Ahorro de energía
Apertura en frío
Energy saving
Cold opening




571013
57A309629

New Fly, monomando alto de lavabo, sistema S3 apertura en frío.
New Fly, tall washbasin single-lever mixer, S3 system, cold opening.



Cartucho Cartridge: 35300-3



571101
57A303579

New Fly, monomando de lavabo caño giratorio.
New Fly, swivel spout washbasin single-lever mixer.



Cartucho Cartridge: 35200 (6689C2)



570321NM

57B307817

New Fly, monomando de bidé S2.
New Fly, single lever bidet mixer S2.



570321VA9065

New Fly, monomando de bidé con válvula automática de ABS 1/4".

New Fly, bidet single-lever mixer with 1/4" automatic ABS valve.

Ref. 906502

570321VA1169

New Fly, monomando de bidé con válvula automática de Inox 1/4".

New Fly, bidet single-lever mixer with 1/4" automatic Inox valve.

Ref. 116902

Cartucho Cartridge: 35100-3



572201

57D303556

572201S+9989SC+9553+2950C

New Fly, monomando para peluquería con equipo de ducha.
New Fly, hairdressing single-lever mixer with shower kit.

572201S

57D303555

New Fly, monomando para peluquería.
New Fly, hairdressing single-lever mixer

Cartucho Cartridge: 40101



SA572302


57B311024

SA572302NM

New fly, monomando para bidé de repisa con ducha S2.
New Fly, single-lever bidet mixer for deck-mounted with S2 shower.

**Venta en el Continente
Americano**
Available in North, Central
& South America


Cartucho Cartridge: 40100 (3388)



570502S
57C303572

570502SNM
57C303580


New Fly, monomando de baño-ducha.
New Fly, bath-shower single-lever mixer.



570502T1
57C303574

570502S+3520T1+3726+1128C


New Fly, conjunto monomando de baño-ducha con equipo de ducha.
New Fly, bath-shower single-lever mixer set with shower kit.



570502T3
57C303573

570502S+5840T3+3726+1128C

New Fly, conjunto monomando de baño-ducha con equipo de ducha.
New Fly, bath-shower single-lever mixer set with shower kit.




570502BTNM
57C303581

570502SNM+2876BTNM+372602NM+2475CNM

New Fly, conjunto monomando de baño con equipo de ducha.
New Fly, bath single-lever mixer set with shower kit.



Cartucho Cartridge: 35200-2

**570802S**


57D303575

570802SNM

57D303699

New Fly, monomando de ducha.

New Fly, shower single-lever mixer.


**570802T1**

57D303577

570802S+3520T1+3726+1128C

New Fly, conjunto monomando de ducha con equipo de ducha.

New Fly, shower mixer set with shower kit.


**570802T3**

57D303576

570802S+5840T3+3726+1128C

New Fly, conjunto monomando de ducha con equipo de ducha.

New Fly, shower mixer set with shower kit.

**570802BTNM**

57D303583

570802SNM+2876BTNM+372602NM+2475CNM


New Fly, conjunto monomando de ducha con equipo de ducha.

New Fly, shower mixer set with shower kit.



Cartucho Cartridge: 35200-3

1 Via/Way



571801S

57D303551

XX1801+KX1+5700N-35

571801SNM

57D303569


XX1801NM+KX1NM+5700N-35NM

New Fly, monomando de ducha empotrado metálico 1 vía con placa ultraslim.

New Fly, 1-way built-in metal shower mixer with ultraslim plate.



Cartucho Cartridge: 35100 (6689-2)



K5718013

57D310352

571801S+BH02RP300

K5718013NM

57D310353


571801SNM+BH02RP300NM

New Fly, conjunto monomando empotrado metálico de 1 vía con rociador de Ø300mm.

New Fly, 1-way built-in metal shower mixer with Ø300mm showerhead.



Cartucho Cartridge: 35100 (6689-2)

2 Vías/Ways**571512S**

57D311413

XX1512+KX2+945100L+5700N-35

571512SNM

57D311414


XX1512NM+KX2NM+945100LNM+5700N-35NM

New Fly, monomando de ducha empotrado metálico de 2 vías con placa ultraslim.

New Fly, 2-way built-in metal shower mixer with ultraslim plate.



Cartucho Cartridge: 35100 (6689-2)+4004

**K5715121**

57D310354

571512S+BH02RP300+2876BT+3796+2471C

K5715121NM

57D310355

571512SNM+BH02RP300NM+2876BTNM+3796NM+2475CNM

New Fly, conjunto monomando empotrado metálico de 2 vías con soporte, toma de agua, teleducha y rociador de Ø300mm.

New Fly, 2-way built-in metal shower mixer set with support, water intake, hand shower and Ø300mm showerhead.



New fly



Cartucho Cartridge: 35100 (6689-2)+4004




572601

57E303550

New Fly, monomando de fregadero con caño alto giratorio 360°.
New Fly, sink single-lever mixer with 360° high swivel spout.



Cartucho Cartridge: 35100-3



570612

57E308647


570612NM

57E308956

New Fly, monomando de fregadero vertical con con caño cisne.
New Fly, vertical single-lever kitchen sink mixer with swan neck spout and S2 water saving system.



Cartucho Cartridge: 35100-2




570621

57E308415

New Fly, monomando fregadero vertical cónico con con caño cisne, cromo.
New Fly, single-lever sink mixer with conical vertical spout in a swan-neck design, chrome



Cartucho Cartridge: 35100-3




571701CC

57E303557

New Fly, monomando de fregadero a pared con caño alto giratorio.
New Fly, wall-mounted sink single-lever mixer with high swivel spout.



Cartucho Cartridge: 35100




570701CC
57E303559

New Fly, monomando de fregadero mural con caño giratorio.
New Fly, wall-mounted sink single-lever mixer with swivel spout.



Cartucho Cartridge: 35100-3




570701CCB14
57E303558

New Fly, monomando de fregadero mural con caño conformado corto.
New Fly, wall-mounted sink single-lever mixer with short formed spout.



Cartucho Cartridge: 35100-3



570901
57E303549

New Fly, monomando de fregadero con caño bajo giratorio.
New Fly, sink single-lever mixer with low swivel spout.



Cartucho Cartridge: 40200-2

Ahorro de energía
Apertura en frío
Energy saving
Cold opening



579901
57E303578

New Fly, monomando de fregadero con caño bajo giratorio.
New Fly, sink single-lever mixer with low swivel spout.



Cartucho Cartridge: 40300-2