




reddot winner 2024

PRISMA



Características Técnicas


- Cartucho monomando cerámico Ø25 mm y Ø35 mm.
- Cartuchos monomando Ø35 mm con Sistema Termostop Block de limitación de la temperatura máxima del agua caliente, sistema de ahorro de agua S2 mediante la apertura de la manecilla en dos fases.
- Distribuidor de 2 vías, sin regulación de caudal y sin cierre.
- Distribuidor de 3 vías, sin regulación de caudal y sin cierre.
- Cartucho termostático con Sistema Hot Block de seguridad antiquemaduras y Sistema Termostop de bloqueo de la temperatura a 38°C.
- Montura cerámica 1/2" para regulación de caudal.
- Montura cerámica 3/4" para regulación de caudal.
- Distribuidor de 2 vías con regulación de caudal y cierre.
- Caudal a 3 bar: Lavabo 5 l/min. Bidé 6 l/min. Ducha 12 l/min. Baño 20 l/min.
- Nivel acústico a 3 bar: < 20 dB.
- Cromado latón: 15 micras de espesor de níquel, 0.3 micras de cromo.
- Prestaciones de confort a nivel de fidelidad, sensibilidad y constancia en la selección de la temperatura.
- Resiste presiones estáticas ≤ 10 bar y golpes de ariete de 25 bar.
- Temperatura recomendada de agua caliente 55°C. Temperatura máxima de uso 65°C. Máximo 1h a 90°C.
- Presión de uso entre 1-5 bar. Recomendada 3 bar.
- Resistente al choque térmico y químico anti legionela.
- Ánodo de sacrificio anticorrosión de zinc-magnesio.

Technical Characteristics

- Single-lever ceramic cartridge Ø35 mm and Ø40 mm.
- Single-lever ceramic cartridge Ø35 mm with Thermostop Block system for limiting the maximum hot water temperature, S2 water-saving system by opening the handle in two phases.
- 2-way diverter without flow regulation and without cut-off system
- 3-way diverter, without flow regulation and without cut-off system
- Thermostatic cartridge with Hot Block anti-burn system and Thermostop temperature blocking system at 38°C.
- Ceramic valve 1/2" for flow regulation.
- Ceramic valve 3/4" for flow regulation.
- 2-way diverter, with flow regulation and cut-off system
- Flow rate at 3 bar: Washbasin 5 l/min. Bidet 6 l/min.
- Shower 12 l/min. Bath 20 l/min.
- Acoustic level at 3 bars: < 20 dB.
- Chrome-plated brass: 15 microns thick of nickel, 0.3 microns of chrome.
- Comfortable performance as regards reliability, sensitivity and steadiness in the temperature selection.
- It resists static pressures ≤ 10 bars and water hammers at 25 bars.
- Recommended temperature for the hot water: 55°C. Maximum working temperature: 65°C. Maximum: 1h at 90°C.
- Working pressure between 1-5 bars, recommended: 3 bars.
- Resistant to thermal shock and chemical anti legionella.
- Zinc-magnesium anti-corrosion sacrificial anode.





**420401**

42A309570

420401NM

42A309585

420401OC

42A309614

420401GR


42A309638

Prisma, monomando de lavabo.

Prisma, washbasin mixer.



Cartucho Cartridge: 25000-2

**420201**

42A309571

420201NM

42A309594

420201OC

42A309615

420201GR

42A309639

Prisma, monomando de lavabo XL.

Prisma, washbasin mixer XL.



Cartucho Cartridge: 25000-2

**420301**

42B309572

420301NM

42B309595

420301OC

42B309617

420301GR


42B309640

Prisma, monomando de bidé.

Prisma, bidet mixer.



Cartucho Cartridge: 25000-2



422001

42A309573

XX20CF+KB20+CLEU+4200N-35

422001NM

42A309596

XX20CFNM+KXB20NM+CLEUNM+4200N-35NM

422001OC

42A309618

XX20CFOC+KB20OC+CLEUOC+4200N-35OC

422001GR

42A309641


XX20CFGR+KB20GR+CLEUGR+4200N-35GR

Prisma, monomando de lavabo empotrado mural con caño inclinado y placa metálica.

Prisma, wall-mounted single-lever basin mixer with slanted spout and metal plate.



Cartucho Cartridge: 35100-2



422002

42A309574

XX20CF+KB20+CLEA+4200N-35

422002NM

42A309597

XX20CFNM+KB20NM+CLEANM+4200N-35NM

422002OC

42A309619

XX20CFOC+KB20OC+CLEAOC+4200N-35OC

422002GR

42A309642

XX20CFGR+KB20GR+CLEAGR+4200N-35GR


Prisma, monomando de lavabo empotrado mural de caño recto y placa metálica.

Prisma, wall-mounted single-lever basin mixer with straight spout and metal plate.



Cartucho Cartridge: 35100-2

1 Via/Way



421801S

42D309575
XX1801+KP1+4200N-35

421801SNM

42D309598
XX1801NM+KP1NM+4200N-35NM

421801SOC

42D309620
XX1801OC+KP1OC+4200N-35OC


421801SGR

42D309643
XX1801GR+KP1GR+4200N-35GR

Prisma, monomando de ducha empotrado 1 vía.
Prisma, single lever concealed mixer 1 way.



Cartucho Cartridge: 35100



K4218012

42D309590
421801S+BH02RK300

K4218012NM

42D309610
421801SNM+BH02RK300NM

K4218012OC

42D309634
421801SOC+BH02RK300OC

K4218012GR


42D309653
421801SGR+BH02RK300GR

Prisma, conjunto de monomando de ducha empotrado 1 vía con
rociador metálico 300mm.
Prisma, single lever concealed shower mixer set, 1 way with
metallic headshower 300 mm.



Cartucho Cartridge: 35100

2 Vías/Ways

**421502S**

42D309576

XX1502+KP2+425100+4200N-35

421502SNM

42D309599

XX1502NM+KP2NM+425100NM+4200N-35NM

421502SOC

42D309621

XX1502OC+KP2OC+425100OC+4200N-35OC

421502SGR

42D309644


XX1502GR+KP2GR+425100GR+4200N-35GR

Prisma, monomando de ducha empotrado 2 vías.

Prisma, single lever concealed mixer 2 ways.



Cartucho Cartridge: 35100

**K4215021**

42D309591

421502S+BH02RK300+4716MR+4796+2471C

K4215021NM

42D309611

421502SNM+BH02RK300NM+4716MRNM+4798NM+2475CNM

K4215021OC

42D309635

421502SOC+BH02RK300OC+4716MROC+4798OC+2475COC

K4215021GR

42D309654


421502SGR+BH02RK300GR+4716MRGR+4798GR+2475CGR

Prisma, conjunto de monomando de ducha empotrado 2 vías con rociador metálico 300mm.

Prisma, single lever concealed shower mixer set, 2 ways with metallic headshower 300 mm.



Cartucho Cartridge: 35100



XX1503+KP3+425100+4200N-35

XX1503NM+KP3NM+425100NM+4200N-35NM


XX1503OC+KP3OC+425100OC+4200N-35OC

XX1503GR+KP3GR+425100GR+4200N-35GR

Prisma, single lever concealed mixer 3 ways.



Cartucho Cartridge: 35100



421503S+BH02RK300+16802K+4716MR+4796+2471C

421503SNM+BH02RK300NM+16802KNM+4716MRNM+4798NM+2475CNM

421503SOC+BH02RK300OC+16802KOC+4716MROC+4798OC+2475COC


421503SGR+BH02RK300GR+16802KGR+4716MRGR+4798GR+2475CGR

Prisma, concealed 3-way single-lever mixer with bracket, water inlet, bath spout, hand shower and 300 mm square shower head.



Cartucho Cartridge: 35100





423401S

42D309578

423401SNM

42D309601

423401SOC

42D309623

423401SGR


42D309646

Prisma, termostático de ducha.

Prisma, thermostatic shower mixer.



Cartucho Cartridge: 1703 T + 1700C 1/2"



423401MR

42D309581

423401S+4716MR+4726M+2471C

423401MRNM

42D309602

423401SNM+4716MRNM+472602NM+2475CNM

423401MROC

42D309624

423401SOC+4716MROC+472602OC+2475COC

423401MRGR

42D309647



423401SGR+4716MRGR+472602GR+2475CGR

Prisma, termostático de ducha con equipo de ducha.

Prisma, thermostatic shower mixer with shower set.



Cartucho Cartridge: 1703 T + 1700C 1/2"

**423901S**

42C309582

423901SNM

42C309603

423901SOC

42C309626

423901SGR


42C309648

Prisma, termostático de baño- ducha.

Prisma, thermostatic bath-shower mixer.



Cartucho Cartridge: 1703 T + 4000

**423901MR**

42C309583

423901S+4716MR+4726M+2471C

423901MRNM

42C309604

423901SNM+4716MRNM+472602NM+2475CNM

423901MROC

42C309627

423901SOC+4716MROC+472602OC+2475COC

423901MRGR

42C309649

423901SGR+4716MRGR+472602GR+2475CGR


Prisma, termostático de baño- ducha con equipo de ducha.

Prisma, thermostatic bath-shower mixer with shower set.



Cartucho Cartridge: 1703 T + 4000

1 Via/Way



422411S

42D309588

XX2411+KTP1+425000+425100

422411SNM

42D309608

XX2411NM+KTP1NM+425000NM+425100NM

422411SOC

42D309632

XX2411OC+KTX1OC+425000OC+425100OC

422411SGR

42D309650


XX2411GR+KTP1GR+425000IGR+425100GR

Prisma, termostático de ducha empotrado 1 vía con placa metálica.

Prisma, 1-way concealed thermostatic shower mixer with metal plate.



Cartucho Cartridge: 1703 T + 1700C 3/4"



K4224012

42D309592

422411S+BH02RK300

K4224012NM

42D309612

422411SNM+BH02RK300NM

K4224012OC

42D309636

422411SOC+BH02RK300OC

K4224012GR

42D309655

422411SGR+BH02RK300GR


Prisma, conjunto termostático de ducha empotrado 1 vía con rociador metálico 300mm.

Prisma, thermostatic concealed shower set 1 way with metallic headshower 300 mm.



Cartucho Cartridge: 1703 T + 1700C 3/4"

2 Vías/Ways



428712S

42D309589

XX8712+KTP2+425000I+425100

428712SNM

42D309609

XX8712NM+KTP2NM+425000INM+425100NM

428712SOC

42D309633

XX8712OC+KTP2OC+425000IOC+425100OC

428712SGR

42D309651


XX8712GR+KTP2GR+425000IGR+425100GR

Prisma, termostático de ducha empotrado 2 vías con placa metálica.

Prisma, 2-ways concealed thermostatic shower mixer with metal plate.



Cartucho Cartridge: 1703 T + 4000



K4287011

42D309593

428712S+BH02RK300+4716MR+4796+2472C

K4287011NM

42D309613

428712SNM+BH02RK300NM+4716MRNM+4798NM+2475CNM

K4287011OC

42D309637

428712SOC+BH02RK300OC+4716MROC+4798OC+2475COC

K4287011GR

42D309656

428712SGR+BH02RK300GR+4716MRGR+4798GR+2475CGR

Prisma, conjunto termostático de ducha empotrado 2 vías con rociador metálico 300mm.

Prisma, thermostatic concealed shower set 2 ways with metallic headshower 300 mm.



Cartucho Cartridge: 1703 T + 4000